

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	8
Contaminated Zone and Total Dose Summary	9
Total Dose Components	
Time = 0.000E+00	10
Time = 1.000E+00	11
Time = 3.000E+00	12
Time = 1.000E+01	13
Time = 3.000E+01	14
Time = 1.000E+02	15
Time = 3.000E+02	16
Time = 1.000E+03	17
Dose/Source Ratios Summed Over All Pathways	18
Single Radionuclide Soil Guidelines	18
Dose Per Nuclide Summed Over All Pathways	19
Soil Concentration Per Nuclide	19

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Dose Conversion Factor (and Related) Parameter Summary
 Dose Library: DOE STD-1196-2011 (Reference Person)

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	At-218 (Source: DCFPAK3.02)	5.567E-05	5.567E-05	DCF1(1)
A-1	Bi-210 (Source: DCFPAK3.02)	5.473E-03	5.473E-03	DCF1(2)
A-1	Bi-214 (Source: DCFPAK3.02)	9.135E+00	9.135E+00	DCF1(3)
A-1	Hg-206 (Source: DCFPAK3.02)	6.127E-01	6.127E-01	DCF1(4)
A-1	Pb-210 (Source: DCFPAK3.02)	2.092E-03	2.092E-03	DCF1(5)
A-1	Pb-214 (Source: DCFPAK3.02)	1.257E+00	1.257E+00	DCF1(6)
A-1	Po-210 (Source: DCFPAK3.02)	5.641E-05	5.641E-05	DCF1(7)
A-1	Po-214 (Source: DCFPAK3.02)	4.801E-04	4.801E-04	DCF1(8)
A-1	Po-218 (Source: DCFPAK3.02)	9.228E-09	9.228E-09	DCF1(9)
A-1	Ra-226 (Source: DCFPAK3.02)	3.176E-02	3.176E-02	DCF1(10)
A-1	Rn-218 (Source: DCFPAK3.02)	4.259E-03	4.259E-03	DCF1(11)
A-1	Rn-222 (Source: DCFPAK3.02)	2.130E-03	2.130E-03	DCF1(12)
A-1	Tl-206 (Source: DCFPAK3.02)	1.278E-02	1.278E-02	DCF1(13)
A-1	Tl-210 (Source: DCFPAK3.02)	1.677E+01	1.677E+01	DCF1(14)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.285E-02	2.231E-02	DCF2(1)
B-1	Pb-210+D1	2.284E-02	2.231E-02	DCF2(2)
B-1	Po-210	1.732E-02	1.732E-02	DCF2(3)
B-1	Ra-226+D	3.823E-02	3.811E-02	DCF2(4)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	3.781E-03	3.774E-03	DCF3(1)
D-1	Pb-210+D1	3.781E-03	3.774E-03	DCF3(2)
D-1	Po-210	6.475E-03	6.475E-03	DCF3(3)
D-1	Ra-226+D	1.677E-03	1.676E-03	DCF3(4)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(1,3)
D-34				
D-34	Pb-210+D1 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pb-210+D1 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(2,2)
D-34	Pb-210+D1 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(2,3)
D-34				
D-34	Po-210 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Po-210 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(3,2)
D-34	Po-210 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.400E-04	3.400E-04	RTF(3,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)
D-5				

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: DOE STD-1196-2011 (Reference Person)

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Pb-210+D1 , fish	3.000E+02	3.000E+02	BIOFAC(2,1)
D-5	Pb-210+D1 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(2,2)
D-5				
D-5	Po-210 , fish	1.000E+02	1.000E+02	BIOFAC(3,1)
D-5	Po-210 , crustacea and mollusks	2.000E+04	2.000E+04	BIOFAC(3,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.000E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	not used	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T (2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T (3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T (4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T (5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T (6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T (7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T (8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T (9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ra-226	5.000E+00	0.000E+00	---	S1(4)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(4)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	not used	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	not used	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	not used	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	not used	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	not used	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	not used	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	not used	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	not used	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	not used	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	not used	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	not used	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	not used	2.500E+02	---	UW

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Number of unsaturated zone strata	not used	1	---	NS
R015	Unsat. zone 1, thickness (m)	not used	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	not used	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	not used	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	not used	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	not used	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	not used	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	not used	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	not used	7.000E+01	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	not used	7.000E+01	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.165E-02	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	not used	1.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	not used	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.217E-02	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Po-210				
R016	Contaminated zone (cm**3/g)	1.000E+01	1.000E+01	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	not used	1.000E+01	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	not used	1.000E+01	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.176E-01	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R017	Inhalation rate (m**3/yr)	1.350E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	2.500E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.055E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	2.250E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area:	2000.00 square meters	Ra-226	5.000E+00
Thickness:	0.15 meters		
Cover Depth:	0.00 meters		

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	8.409E+00	8.130E+00	7.600E+00	5.992E+00	2.993E+00	2.025E-01	0.000E+00	0.000E+00
M(t):	3.363E-01	3.252E-01	3.040E-01	2.397E-01	1.197E-01	8.099E-03	0.000E+00	0.000E+00

Maximum TDOSE(t): 8.409E+00 mrem/yr at t = 0.000E+00 years

Radium Benchmark Dose

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	8.361E+00	0.9943	7.547E-03	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.025E-02	0.0048
Total	8.361E+00	0.9943	7.547E-03	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.025E-02	0.0048

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	8.409E+00	1.0000										
Total	0.000E+00	0.0000	8.409E+00	1.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	8.078E+00	0.9936	7.464E-03	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.445E-02	0.0055
Total	8.078E+00	0.9936	7.464E-03	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.445E-02	0.0055

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	8.130E+00	1.0000										
Total	0.000E+00	0.0000	8.130E+00	1.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	7.540E+00	0.9921	7.302E-03	0.0010	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.264E-02	0.0069
Total	7.540E+00	0.9921	7.302E-03	0.0010	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.264E-02	0.0069

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	7.600E+00	1.0000										
Total	0.000E+00	0.0000	7.600E+00	1.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	5.917E+00	0.9875	6.519E-03	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.817E-02	0.0114
Total	5.917E+00	0.9875	6.519E-03	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.817E-02	0.0114

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	5.992E+00	1.0000										
Total	0.000E+00	0.0000	5.992E+00	1.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	2.931E+00	0.9793	3.877E-03	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.810E-02	0.0194
Total	2.931E+00	0.9793	3.877E-03	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.810E-02	0.0194

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	2.993E+00	1.0000										
Total	0.000E+00	0.0000	2.993E+00	1.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	1.979E-01	0.9776	2.300E-04	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.297E-03	0.0212
Total	1.979E-01	0.9776	2.300E-04	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.297E-03	0.0212

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	2.025E-01	1.0000										
Total	0.000E+00	0.0000	2.025E-01	1.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.										
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000										
Total	0.000E+00	0.0000	0.000E+00	0.0000										

*Sum of all water independent and dependent pathways.

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226+D	Ra-226+D	1.000E+00	1.681E+00	1.624E+00	1.516E+00	1.189E+00	5.886E-01	3.964E-02	0.000E+00	0.000E+00
Ra-226+D	Pb-210+D	1.000E+00	3.002E-04	8.624E-04	1.827E-03	3.894E-03	4.238E-03	3.780E-04	0.000E+00	0.000E+00
Ra-226+D	Po-210	1.000E+00	1.824E-04	8.321E-04	2.202E-03	5.193E-03	5.764E-03	4.716E-04	0.000E+00	0.000E+00
Ra-226+D	ΣDSR(j)		1.682E+00	1.626E+00	1.520E+00	1.198E+00	5.986E-01	4.049E-02	0.000E+00	0.000E+00
Ra-226+D	Ra-226+D	1.339E-06	2.251E-06	2.175E-06	2.030E-06	1.592E-06	7.881E-07	5.308E-08	0.000E+00	0.000E+00
Ra-226+D	Pb-210+D1	1.339E-06	4.834E-10	1.390E-09	2.950E-09	6.327E-09	7.033E-09	7.125E-10	0.000E+00	0.000E+00
Ra-226+D	ΣDSR(j)		2.252E-06	2.176E-06	2.033E-06	1.599E-06	7.952E-07	5.380E-08	0.000E+00	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226		1.487E+01	1.538E+01	1.645E+01	2.086E+01	4.176E+01	6.174E+02	*9.885E+11	*9.885E+11

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Ra-226	5.000E+00	0.000E+00	1.682E+00	1.487E+01	1.682E+00	1.487E+01

Summary : RESRAD - Fansteel Site - Outdoor Worker - Radium Benchmark Dose

File : C:\USERS\DELHOMMK\DESKTOP\WESTON PROJECTS\FANSTEEL\RADIUM BENCHMARK DOSE\AUG 7\FANSTEEL RESRAD RADIUM BENCHMARK DOSE.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	Ra-226	1.000E+00	8.406E+00	8.121E+00	7.579E+00	5.946E+00	2.943E+00	1.982E-01	0.000E+00	0.000E+00
Ra-226	Ra-226	1.339E-06	1.126E-05	1.087E-05	1.015E-05	7.962E-06	3.941E-06	2.654E-07	0.000E+00	0.000E+00
Ra-226	ΣDOSE(j)		8.406E+00	8.121E+00	7.579E+00	5.946E+00	2.943E+00	1.982E-01	0.000E+00	0.000E+00
Pb-210	Ra-226	1.000E+00	1.501E-03	4.312E-03	9.137E-03	1.947E-02	2.119E-02	1.890E-03	0.000E+00	0.000E+00
Po-210	Ra-226	1.000E+00	9.120E-04	4.161E-03	1.101E-02	2.596E-02	2.882E-02	2.358E-03	0.000E+00	0.000E+00
Pb-210	Ra-226	1.339E-06	2.417E-09	6.948E-09	1.475E-08	3.164E-08	3.516E-08	3.563E-09	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	Ra-226	1.000E+00	5.000E+00	4.842E+00	4.541E+00	3.628E+00	1.910E+00	2.021E-01	3.304E-04	5.831E-14
Ra-226	Ra-226	1.339E-06	6.695E-06	6.484E-06	6.081E-06	4.858E-06	2.557E-06	2.707E-07	4.424E-10	7.807E-20
Ra-226	ΣS(j):		5.000E+00	4.842E+00	4.541E+00	3.628E+00	1.910E+00	2.021E-01	3.304E-04	5.831E-14
Pb-210	Ra-226	1.000E+00	0.000E+00	1.496E-01	4.121E-01	1.020E+00	1.322E+00	2.610E-01	4.831E-04	8.541E-14
Po-210	Ra-226	1.000E+00	0.000E+00	7.760E-02	3.137E-01	8.845E-01	1.186E+00	2.366E-01	4.386E-04	7.755E-14
Pb-210	Ra-226	1.339E-06	0.000E+00	2.003E-07	5.517E-07	1.366E-06	1.770E-06	3.494E-07	6.469E-10	1.144E-19

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 0.41 seconds